

Seções Transversais						Tipo 1A
ESTACA	Distância (m)	LEITURA (mm)		PR (mm)	COTA (mm)	Observação
		RÉ	VANTE			
123+00.00	0.0	2690				
123+00.00	5.0		2759			
123+00.00	15.0		2763			
123+00.00	20.0		2610			
123+00.00	25.0		2309			
123+00.00	30.0		1896			
123+00.00	40.0		979			
123+00.00	-6.0		2690			
123+00.00	-15.0		2371			
123+00.00	-21.0		2262			
123+00.00	-25.0		2144			
123+00.00	-32.0		2060			
123+00.00	-39.5		1974			
124+00.00	0.0	2508				
124+00.00	5.0		2293			
124+00.00	15.0		1892			
124+00.00	20.0		1758			
124+00.00	25.0		1659			
124+00.00	32.0		1649			
124+00.00	40.0		1073			
124+00.00	-4.0		2670			
124+00.00	-15.0		2973			
124+00.00	AUX	1506				Ré dist. 40,0m
124+00.00	-20.0		1626			
124+00.00	-22.0		1414			
124+00.00	-30.0		1336			
124+00.00	-40.0		2377			
125+00.00	0.0	4806				
125+00.00	6.0		3914			
125+00.00	13.0		1653			
125+00.00	20.0		805			
125+00.00	25.0		492			
125+00.00	31.0		189			
125+00.00	AUX	2350				
125+00.00	42.2		1949			
125+00.00	-5.0		7420			
125+00.00	-15.0		7910			
125+00.00	AUX	1258				
125+00.00	-22.0		1903			
125+00.00	-25.0		2810			
125+00.00	-32.0		3618			
125+00.00	-40.0		5201			
126+00.00	0.0	4650				
126+00.00	4.0		4144			
126+00.00	15.0		2892			
126+00.00	20.0		1257			
126+00.00	26.0		454			
126+00.00	AUX	2971				
126+00.00	30.0		2060			
126+00.00	41.0		817			
126+00.00	-5.0		7696			
126+00.00	AUX	650				
126+00.00	-16.0		3260			
126+00.00	-20.0		4057			
126+00.00	-25.0		4899			
126+00.00	-31.5		5808			
126+00.00	AUX	450				
126+00.00	-40.0		2120			
127+00.00	0.0	3650				
127+00.00	7.0		3719			
127+00.00	15.0		3723			
127+00.00	20.0		3570			

Seções Transversais					Tipo 1A	
ESTACA	Distância (m)	LEITURA (mm)		PR (mm)	COTA (mm)	Observação
		RÉ	VANTE			
127+00.00	26.0		3269			
127+00.00	30.0		2856			
127+00.00	39.0		1939			
127+00.00	-5.0		3546			
127+00.00	-15.0		3331			
127+00.00	-20.0		3222			
127+00.00	-26.0		3104			
127+00.00	-30.0		3020			
127+00.00	-38.0		2934			
128+00.00	0.0	4650				
128+00.00	5.0		3985			
128+00.00	15.0		2991			
128+00.00	21.0		2646			
128+00.00	25.0		2253			
128+00.00	32.0		1920			
128+00.00	40.4		985			
128+00.00	-5.0		5482			
128+00.00	-15.0		7163			
128+00.00	-20.0		7832			
128+00.00	AUX	789				
128+00.00	-25.0		1467			
128+00.00	-31.0		2081			
128+00.00	-40.0		2959			
129+00.00	0.0	3650				
129+00.00	5.0		2901			
129+00.00	16.0		1921			
129+00.00	20.0		1667			
129+00.00	26.0		1337			
129+00.00	30.0		586			
129+00.00	AUX	2187				
129+00.00	41.0		167			
129+00.00	-5.0		6181			
129+00.00	-15.0		7849			
129+00.00	-21.0		8204			
129+00.00	-25.0		8552			
129+00.00	-32.1		9209			
129+00.00	-40.0		10294			
130+00.00	0.0	4187				
130+00.00	4.0		3996			
130+00.00	15.0		1667			
130+00.00	20.0		851			
130+00.00	AUX	4980				
130+00.00	26.0		4095			
130+00.00	30.0		3259			
130+00.00	42.0		1620			
130+00.00	AUX	150				
130+00.00	-6.0		8227			
130+00.00	AUX	150				
130+00.00	-16.0		2367			
130+00.00	-20.0		2947			
130+00.00	-25.0		3032			
130+00.00	-31.0		3086			
130+00.00	-40.0		4440			
131+00.00	0.0	2893				
131+00.00	4.8		2962			
131+00.00	15.0		2966			
131+00.00	20.0		2813			
131+00.00	25.0		2512			
131+00.00	30.0		2099			
131+00.00	40.0		1182			
131+00.00	-5.0		2789			
131+00.00	-16.0		2574			
131+00.00	-20.0		2465			
131+00.00	-27.0		2347			

Seções Transversais					Tipo 1A	
ESTACA	Distância (m)	LEITURA (mm)		PR (mm)	COTA (mm)	Observação
		RÉ	VANTE			
131+00.00	-30.0		2263			
131+00.00	-40.0		2177			
132+00.00	0.0	4970				
132+00.00	5.0		2465			
132+00.00	AUX	4987				
132+00.00	16.0		2014			
132+00.00	20.0		1158			
132+00.00	26.0		58			
132+00.00	AUX	4987				
132+00.00	30.0		3889			
132+00.00	41.0		3488			
132+00.00	AUX	189				Ré dist. 0,0m
132+00.00	-5.1		2878			
132+00.00	-14.0		6764			
132+00.00	AUX	1471				
132+00.00	-20.0		2437			
132+00.00	-24.0		2584			
132+00.00	-30.0		2630			
132+00.00	-39.0		2327			
133+00.00	0.0	3598				
133+00.00	5.0		2746			
133+00.00	16.0		1201			
133+00.00	AUX	2598				
133+00.00	21.0		2088			
133+00.00	25.0		1978			
133+00.00	29.0		1622			
133+00.00	40.0		964			
133+00.00	AUX	580				Ré dist. 0,0m
133+00.00	-5.4		2387			
133+00.00	-15.0		5702			
133+00.00	-20.0		7697			
133+00.00	-24.0		9859			
133+00.00	AUX	2410				
133+00.00	-29.0		3410			
133+00.00	-40.0		4334			